



COLLEGE OF
DENTAL HYGIENISTS
OF MANITOBA

INTERPRETATION GUIDELINE: Injectable and Non-injectable Oral Anesthetic

September 2021

The College of Dental Hygienists of Manitoba is responsible for developing professional resource documents for dental hygienists and in serving the public interest. Council approves these documents, of which, the purpose is to explain, enhance, add, or guide dental hygiene practice in accordance with The Dental Hygienists Act and Regulation. It is the responsibility of the dental hygienist to understand and comply with these documents.

College of Dental Hygienists of Manitoba's Interpretation Guideline for Injectable and Non-injectable Oral Anaesthetic

Purpose

This interpretation guideline is to inform registrants of the College of Dental Hygienists of Manitoba (CDHM) about the current regulation requirements for Injectable and Non-injectable Oral Anaesthetic.

Background

- Oral anaesthetics are considered for use by Registered Dental Hygienists in Manitoba who are approved on the CDHM Oral Anaesthetic Roster, to manage client dental anxiety, tooth sensitivity or pain sensitivity during therapy, or to control bleeding.
- Oral anaesthetics are available as:
 - Injectable anaesthetics, which are injected into oral soft tissues using a syringe (local anaesthetic).
 - Non-injectable anaesthetics, including topical agents such as gels, liquids, sprays, ointments, and patches applied topically to intraoral mucous membranes (above the gumline).
 - Non-injectable anaesthetics, such as Oraqix or Cetacaine, which are administered needle-free, sub-gingivally (below the gumline).
- Oral anaesthetics contain drugs that increase the risk of patient adverse events.
- Educational institutions may or may not include oral anaesthetic and pain management coursework in initial dental hygiene education; additional education may be required to be considered for approval on the CDHM Oral Anaesthetic Roster.
- A member of the public may search the [Public Register](#) or contact the CDHM office to confirm a RDH is approved on the Oral Anaesthetic Roster.

Requirements

- A Registered Dental Hygienist applying to be on the Oral Anaesthetic Roster must have completed a CDHM approved educational program for oral anaesthetic and pain management.
- A Registered Dental Hygienist with oral anaesthetic education must receive confirmation of approval on the CDHM Oral Anaesthetic Roster, prior to administering any oral anaesthetic.
- It is the professional responsibility of a Registered Dental Hygienist on the Oral Anaesthetic Roster to remain current in the concepts and practice of injectable and non-injectable oral anaesthetic to continue to provide safe care.
- Registered dental hygienists on the Oral Anaesthetic Roster must also be on the CDHM Extended Practice Roster to administer oral anaesthetic without [supervision](#).
- In accordance with the Dental Hygienists Act and Regulations administering oral anaesthetic is an “*included practice*” subject to the “*setting restrictions*”, and may only be administered in the following [settings](#):
 - In a dentist's office

- In a facility
- As a part of an oral health program
- A setting approved by the patient's dentist

Applicable Legislation

According to the CDHM Practice Standards, dental hygienists:

- 1.1. Adhere to current jurisdictional legislation, regulations, codes of ethics, practice standards, guidelines, and policies relevant to the profession and practice setting;
- 1.6. Follow dental hygiene process, demonstrating sound professional judgment and integrity;
- 1.13. Know the technological and product options; select the best option for the situation, depending on client need;

*This interpretation guideline reflects current knowledge and is subject to periodic review and revisions with on-going research.

References

1. The Dental Hygienists Act C.C.S.M. c. D34. 80/2009. Retrieved from: http://web2.gov.mb.ca/laws/regs/current/_pdf-regs.php?reg=80/2008
2. Dental Hygienists' Regulation. (2008).
3. D.A. Haas, DDS, PhD, FRCDC (2020) Drugs in Dentistry. Canadian Pharmacists Association.
4. Lee H. S. (2016). Recent advances in topical anesthesia. *Journal of dental anesthesia and pain medicine*, 16(4), 237–244. <https://doi.org/10.17245/jdapm.2016.16.4.237>
5. Gustavo Simao Moraes, Isadora Benato dos Santos, Shelon Cristina Souza Pinto, Marcia Thais Pochapski, Paulo Vitor Farago, Gibson Luiz Pilatti, & Fabio Andre Santos. (2019). Liposomal anesthetic gel for pain control during periodontal therapy in adults: a placebo-controlled RCT. *Journal of Applied Oral Science*. <https://doi.org/10.1590/1678-7757-2019-0025>
6. Malamed, Stanley F. (2020). *Handbook of Local Anesthesia*, Seventh Edition, Elsevier.
7. Kim EJ, Kim HY, Ahn JH. (2020) Neurotoxicity of local anesthetics in dentistry. *J Dent Anesth Pain Med*. 2020 Apr;20(2):55-61. <https://doi.org/10.17245/jdapm.2020.20.2.55>
8. Sarasin DS, Brady JW, Stevens RL. (2019) Medication Safety: Reducing Anesthesia Medication Errors and Adverse Drug Events in Dentistry Part 1. *Anesth Prog*. Fall;66(3):162-172. doi: 10.2344/anpr-66-03-10. PMID: 31545675; PMCID: PMC6759645.
9. Sarasin, D. S., Brady, J. W., & Stevens, R. L. (2020). Medication Safety: Reducing Anesthesia Medication Errors and Adverse Drug Events in Dentistry Part 2. *Anesthesia progress*, 67(1), 48–59. <https://doi.org/10.2344/anpr-67-01-10>
10. College of Dental Hygienists of Manitoba, (2007) Dental Hygiene Practice Standards. [online]. Available at: <https://cdhm.info/wp-content/uploads/2024/06/Updated-Pratice-Standards.pdf>.